ELSEVIER

Gene Structure and Expression

Vol. 1261, 1995

BBA Biochimica et Biophysica Acta

Author Index

Aas-Eng, D.A., Åsheim, H.C., Deggerdal, A., Smeland, E. and Funderud, S.
Characterization of a promoter region supporting transcription of a novel human β-galactoside α-2,6-sialyltransferase transcript in HepG2 cells (1261) 166
Adzuma, K., see Iwahana, H. (1261) 369
Akutagawa, K., see Seno, M. (1261) 424
Alesse, E., see Martinotti, S. (1261) 107
Alleva, C., see Martinotti, S. (1261) 107
Aradi, J., see Tőkés, S. (1261) 115
Arai, H., Igarashi, Y. and Kodama, T.
The structural genes for nitric oxide reductase from *Pseudomonas aeruginosa* (1261) 279
Åsheim, H.C., see Aas-Eng, D.A. (1261) 166

Bartsch, P., see Hoesche, C. (1261) 249
Becker, C., see Nong, V.H. (1261) 435
Bhatnagar, D., see Cary, J.W. (1261) 319
Bicknell, R., see Bill, R.M. (1261) 35
Bill, R.M., Winter, P.C., McHale, C.M., Hodges, V.M., Elder, G.E., Caley, J., Flitsch, S.L., Bicknell, R. and Lappin, T.R.J.
Expression and mutagenesis of recombinant human and murine erythropoietins in *Escherichia coli* (1261) 35
Bloemers, H.P.J., see Van Neck, J.W. (1261) 210
Blomqvist, A.G., Roubos, E.W., Larhammar, D. and Martens, G.J.M.
Cloning and sequence analysis of a neuropeptide Y/peptide YY receptor Y1 cDNA from *Xenopus laevis* (1261) 439
Borst, P., see Smit, J.J.M. (1261) 44
Brander, K.A., Mandel, T., Owttrim, G.W. and Kuhlemeier, C.
Highly conserved genes coding for eukaryotic translation initiation factor eIF-4A of tobacco have specific alterations in functional motifs (1261) 442
Brown, J.S., see Hegeman, A.D. (1261) 311
Bruce, A., see Doll, R.F. (1261) 57
Burkhart, W.A., see Ma, J. (1261) 321
Burt, D.R., see Kamatchi, G.L. (1261) 134

Caley, J., see Bill, R.M. (1261) 35
Cary, J.W. and Bhatnagar, D.
Nucleotide sequence of a *Aspergillus parasiticus* gene strongly repressed by thiamine (1261) 319
Chatterjee, B., see Rikke, B.A. (1261) 143
Cieśla, J., Weiner, K.X.B., Weiner, R.S., Reston, J.T., Maley, G.F. and Maley, F.
Isolation and expression of rat thymidylate synthase cDNA: Phylogenetic comparison with human and mouse thymidylate synthases (1261) 233
Civitareale, D., see Saiardi, A. (1261) 307
Colagrande, A., see Martinotti, S. (1261) 107
Courey, A.J. and Huang, J.-D.
The establishment and interpretation of transcription factor gradients in the *Drosophila* embryo (1261) 1
Cvekl, A., McDermott, J.B. and Piatigorsky, J.
cDNA encoding a chicken protein (CRP1) with homology to hnRNP type A/B (1261) 290

Dagorn, J.-C., see Vasseur, S. (1261) 272
Dahlbäck, B., see García de Frutos, P. (1261) 285
Dahmus, M.E.
Phosphorylation of the C-terminal domain of RNA polymerase II (1261) 171
De Filippis, V., see Saiardi, A. (1261) 307
Deggerdal, A., see Aas-Eng, D.A. (1261) 166
Doll, R.F., Bruce, A. and Smith, F.I.
Regulation of the human acid β-glucosidase promoter in multiple cell types (1261) 57
Duncan, M.K., Roth, H.J., Thompson, M., Kantorow, M. and Piatigorsky, J.
Chicken βB1 crystallin: gene sequence and evidence for functional conservation of promoter activity between chicken and mouse (1261) 68
Dusetti, N.J., see Vasseur, S. (1261) 272

Egger, K.N., Osmond, G. and Goodier, J.L.
Sequence and putative secondary structure of group I introns in the nuclear-encoded ribosomal RNA genes of the fungus *Hymenoscyphus ericae* (1261) 275
Elder, G.E., see Bill, R.M. (1261) 35
Emi, Y., see Hata, S. (1261) 121

Farwell, M.A., see Ma, J. (1261) 321
Feierabend, J., see Schmidt, M. (1261) 257
Fernando, J.C.R., see Kamatchi, G.L. (1261) 134
Fine, A., Panchenko, M.P., Smith, B.D., Yu, Q. and Goldstein, R.H.
Discordant regulation of transforming growth factor-β receptors by prostaglandin E_2 (1261) 19
Flitsch, S.L., see Bill, R.M. (1261) 35
Frati, L., see Martinotti, S. (1261) 107
Freisheim, J.H., see Wang, M. (1261) 325
Frigerio, J.-M., see Vasseur, S. (1261) 272
Fuchs, S.Y., see Rutberg, S.E. (1261) 90
Fujita, Y., Uraga, Y. and Ichisima, E.
Molecular cloning and nucleotide sequence of the protyrosinase gene, *melO*, from *Aspergillus oryzae* and expression of the gene in yeast cells (1261) 151
Fukushige, T., Yasuda, H. and Siddiqui, S.S.
Selective expression of the *tba-1* α tubulin gene in a set of mechanosensory and motor neurons during the development of *Caenorhabditis elegans* (1261) 401
Funderud, S., see Aas-Eng, D.A. (1261) 166
Futami, J.-i., see Seno, M. (1261) 424

García de Frutos, P. and Dahlbäck, B.
cDNA structure of rabbit C4b-binding protein α-chain. Preserved sequence motive in complement regulatory protein modules which bind C4b (1261) 285
Georgiev, G., see Tulchinsky, E. (1261) 243
Goldstein, R.H., see Fine, A. (1261) 19
Goodier, J.L., see Egger, K.N. (1261) 275
Göringer, H.U., see Shu, H.H. (1261) 349
Grigorian, M., see Tulchinsky, E. (1261) 243

Gulino, A., see Martinotti, S. (1261) 107
Guzelian, P.S., see Schuetz, J.D. (1261) 161

Harris, A., see Wardle, C.J.C. (1261) 417
Hasin, T., see Jaffe, J. (1261) 201
Hata, S., Emi, Y., Iyanagi, T. and Osumi, T.
cDNA cloning of a putative G protein-coupled receptor from brain (1261) 121
Hayday, A.C., see Martinotti, S. (1261) 107
Hegeman, A.D., Brown, J.S. and Lomax, M.I.
Sequence of the cDNA for the heart/muscle isoform of mouse cytochrome . *c* oxidase subunit VIII (1261) 311
Helman, L., see Lee, Y.L. (1261) 223
Her, S., see Rikke, B.A. (1261) 143
Hernández, G. and Sierra, J.M.
Translation initiation factor eIF-4E from *Drosophila*: cDNA sequence and expression of the gene (1261) 427
Hochberg, M., see Jaffe, J. (1261) 201
Hodges, V.M., see Bill, R.M. (1261) 35
Hoesche, C., Bartsch, P. and Kilimann, M.W.
The CRE consensus sequence in the synapsin I gene promoter region confers constitutive activation but no regulation by cAMP in neuroblastoma cells (1261) 249
Hoffman, T., see Lee, Y.L. (1261) 223
Honda, S., see Iwahana, H. (1261) 369
Huang, J.-D., see Courey, A.J. (1261) 1
Huh, G.H., Matsuura, Y., Meshi, T. and Iwabuchi, M.
Differential expression of the two types of histone H2A genes in wheat (1261) 155

Ichisima, E., see Fujita, Y. (1261) 151
Igarashi, Y., see Arai, H. (1261) 279
Ikeda, M., see Xu, W.-H. (1261) 83
Iovanna, J.L., see Vasseur, S. (1261) 272
Ishiura, S., see Sorimachi, H. (1261) 381
Itakura, M., see Iwahana, H. (1261) 369
Iwabuchi, M., see Huh, G.H. (1261) 155
Iwahana, H., Honda, S., Tsujisawa, T., Takahashi, Y., Adzuma, K., Katashima, R., Yamaoka, T., Moritani, M., Yoshimoto, K. and Itakura, M.
Rat genomic structure of amidophosphoribosyltransferase, cDNA sequence of aminoimidazole ribonucleotide carboxylase, and cell cycle-dependent expression of these two physically linked genes (1261) 369
Iyanagi, T., see Hata, S. (1261) 121

Jaffe, J., Hochberg, M., Riss, J., Hasin, T., Reich, L. and Laskov, R.
Cloning, sequencing and expression of two isoforms of the murine oct-1 transcription factor (1261) 201

Kamatchi, G.L., Kofuji, P., Wang, J.B., Fernando, J.C.R., Liu, Z., Mathura Jr, J.R. and Burt, D.R.
$GABA_A$ receptor β_1, β_2, and β_3 subunits: comparisons in DBA/2J and C57BL/6J mice (1261) 134
Kantorow, M., see Duncan, M.K. (1261) 68
Katashima, R., see Iwahana, H. (1261) 369
Keim, V., see Vasseur, S. (1261) 272
Kilimann, M.W., see Hoesche, C. (1261) 249
Kimura, S., see Oguchi, H. (1261) 304
Kingsman, A.J., see Nacken, W. (1261) 293
Kingsman, S.M., see Nacken, W. (1261) 293
Kitagawa, M., see Mukai, H. (1261) 296
Klempt, M., see Nacken, W. (1261) 432
Kodama, T., see Arai, H. (1261) 279
Kofuji, P., see Kamatchi, G.L. (1261) 134
Kosaka, M., see Seno, M. (1261) 424
Kuhlemeier, C., see Brander, K.A. (1261) 442
Kusakabe, T., see Uesugi, M. (1261) 99

Laborda, J., see Lee, Y.L. (1261) 223
Lang, V., see Van den Heuvel, J. (1261) 337
Lappin, T.R.J., see Bill, R.M. (1261) 35
Larhammar, D., see Blomqvist, A.G. (1261) 439
Larochelle, S. and Suter, B.
Molecular cloning of the *Drosophila* homologue of the rat ribosomal protein L11 gene (1261) 147
Laskov, R., see Jaffe, J. (1261) 201
Lee, Y.L., Helman, L., Hoffman, T. and Laborda, J.
dlk, *pG2* and *Pref-1* mRNAs encode similar proteins belonging to the EGF-like superfamily. Identification of polymorphic variants of this RNA (1261) 223
Li, X., Wistow, G.J. and Piatigorsky, J.
Linkage and expression of the argininosuccinate lyase/δ-crystallin genes of the duck: insertion of a CR1 element in the intergenic spacer (1261) 25
Liu, Z., see Kamatchi, G.L. (1261) 134
Lomax, M.I., see Hegeman, A.D. (1261) 311
Lukanidin, E., see Tulchinsky, E. (1261) 243
Lumelsky, N.L.
Decay of globin mRNA during megakaryocytic differentiation of erythroleukemic cell line is accomplished through shortening of the poly(A) tail and degradation from the 3′ end of the transcript (1261) 265

Ma, J., Farwell, M.A., Burkhart, W.A. and Spremulli, L.L.
Cloning and sequence analysis of the cDNA for bovine mitochondrial translational initiation factor 2 (1261) 321
MacKenzie, R.E., see Tremblay, G.B. (1261) 129
Macpherson, A., see Thomas, T. (1261) 77
Maley, F., see Cieśla, J. (1261) 233
Maley, G.F., see Cieśla, J. (1261) 233
Mandel, T., see Brander, K.A. (1261) 442
Martens, G.J.M., see Blomqvist, A.G. (1261) 439
Martinotti, S., Toniato, E., Colagrande, A., Alesse, E., Alleva, C., Screpanti, I., Morrone, S., Scarpa, S., Frati, L., Hayday, A.C., Piovella, F. and Gulino, A.
Heavy-metal modulation of the human intercellular adhesion molecule (ICAM-1) gene expression (1261) 107
Mathura Jr, J.R., see Kamatchi, G.L. (1261) 134
Matias, C., see Murray, V. (1261) 195
Matsuura, Y., see Huh, G.H. (1261) 155
McCarthy, J.E.G., see Van den Heuvel, J. (1261) 337
McDermott, J.B., see Cvekl, A. (1261) 290
McHale, C.M., see Bill, R.M. (1261) 35
Medina, J.J., see Van Neck, J.W. (1261) 210
Meshi, T., see Huh, G.H. (1261) 155
Miyahara, M., see Mukai, H. (1261) 296
Mol, C.A.A.M., see Smit, J.J.M. (1261) 44
Moll, R., Schmidtke, S. and Schäfer, G.
Nucleotide sequence of a gene cluster encoding ribosomal proteins in the thermoacidophilic crenarchaeon *Sulfolobus acidocaldarius* (1261) 315
Moore, A.G., see Murray, V. (1261) 195
Mori, K., see Mukai, H. (1261) 296
Moritani, M., see Iwahana, H. (1261) 369
Morrone, S., see Martinotti, S. (1261) 107
Mukai, H., Mori, K., Takanaga, H., Kitagawa, M., Shibata, H., Shimakawa, M., Miyahara, M. and Ono, Y.
Xenopus PKN: cloning and sequencing of the cDNA and identification of conserved domains (1261) 296
Müntz, K., see Nong, V.H. (1261) 435
Murray, V., Moore, A.G., Matias, C. and Wickham, G.
The interaction of hedamycin and DC92-B in a sequence selective manner with DNA in intact human cells (1261) 195

Nacken, W., Kingsman, A.J., Kingsman, S.M., Sablitzky, F. and Sorg, C.
A homologue of the human MSS1 gene, a positive modulator of HIV-1 gene expression, is massively expressed in *Xenopus* oocytes (1261) 293
Nacken, W., Klempt, M. and Sorg, C.
The mouse homologue of the HTLV-I tax responsive element binding protein TAXREB107 is a highly conserved gene which may regulate some basal cellular functions (1261) 432
Nong, V.H., Becker, C. and Müntz, K.
cDNA cloning for a putative cysteine proteinase from developing seeds of soybean (1261) 435

Oguchi, H., Pan, Y.-T. and Kimura, S.
The complete nucleotide sequence of the mouse thyroid-specific enhancer-binding protein (T/EBP) gene: extensive identity of the deduced amino acid sequence with the human protein (1261) 304
Okada-Ban, M., see Sorimachi, H. (1261) 381
Onnekink, C., see Van Neck, J.W. (1261) 210
Ono, Y., see Mukai, H. (1261) 296
Osmond, G., see Egger, K.N. (1261) 275
Osumi, T., see Hata, S. (1261) 121
Owttrim, G.W., see Brander, K.A. (1261) 442

Pan, Y.-T., see Oguchi, H. (1261) 304
Panchenko, M.P., see Fine, A. (1261) 19
Peacock, L., see Van den Heuvel, J. (1261) 337
Pellicena-Pallé, A. and Salz, H.K.
The putative *Drosophila* NMDARA1 gene is located on the second chromosome and is ubiquitously expressed in embryogenesis (1261) 301
Piatigorsky, J., see Cvekl, A. (1261) 290
Piatigorsky, J., see Duncan, M.K. (1261) 68
Piatigorsky, J., see Li, X. (1261) 25
Piovella, F., see Martinotti, S. (1261) 107
Porter, T.D.
Correlation between codon usage, regional genomic nucleotide composition, and amino acid composition in the cytochrome *P*-450 gene superfamily (1261) 394
Price, N., see Van den Heuvel, J. (1261) 337
Proud, C., see Van den Heuvel, J. (1261) 337

Ragan, M.A., see Zhou, Y.-H. (1261) 215
Ratnam, S., see Wang, M. (1261) 325
Reich, L., see Jaffe, J. (1261) 201
Reston, J.T., see Cieśla, J. (1261) 233
Richter, G., see Van den Heuvel, J. (1261) 337
Rikke, B.A., Vellanoweth, R.L., Her, S., Chatterjee, B. and Roy, A.K.
Cloning and sequence analysis of a novel member of the single-stranded DNA binding protein family (1261) 143
Riss, J., see Jaffe, J. (1261) 201
Rogers, P., see Thomas, T. (1261) 77
Ronai, Z., see Rutberg, S.E. (1261) 90
Roth, H.J., see Duncan, M.K. (1261) 68
Roubos, E.W., see Blomqvist, A.G. (1261) 439
Roy, A.K., see Rikke, B.A. (1261) 143
Rutberg, S.E., Fuchs, S.Y. and Ronai, Z.
Ultraviolet irradiation and c-*jun* over-expression regulates replication of polyoma sequences in WOP cells through a PEBP2 binding site (1261) 90

Sablitzky, F., see Nacken, W. (1261) 293
Saiardi, A., Tassi, V., De Filippis, V. and Civitareale, D.
Cloning and sequence analysis of human thyroid transcription factor 1. (1261) 307
Salz, H.K., see Pellicena-Pallé, A. (1261) 301
Sami, A.J., see Wallis, O.C. (1261) 360
Sato, Y., see Xu, W.-H. (1261) 83
Scarpa, S., see Martinotti, S. (1261) 107
Schäfer, G., see Moll, R. (1261) 315
Schinkel, A.H., see Smit, J.J.M. (1261) 44
Schmidt, M., Svendsen, I. and Feierabend, J.
Analysis of the primary structure of the chloroplast isozyme of triosephosphate isomerase from rye leaves by protein and cDNA sequencing indicates a eukaryotic origin of its gene (1261) 257
Schmidtke, S., see Moll, R. (1261) 315
Schuetz, J.D. and Guzelian, P.S.
Isolation of *CYP3A5P* cDNA from human liver: a reflection of a novel cytochrome *P*-450 pseudogene (1261) 161
Schwartz, S.M., see Van Neck, J.W. (1261) 210
Screpanti, I., see Martinotti, S. (1261) 107
Seno, M., Futami, J.-i., Tsushima, Y., Akutagawa, K., Kosaka, M., Tada, H. and Yamada, H.
Molecular cloning and expression of human ribonuclease 4 cDNA (1261) 424
Shibata, H., see Mukai, H. (1261) 296
Shimakawa, M., see Mukai, H. (1261) 296
Shu, H.H., Stuart, K. and Göringer, H.U.
Guide RNA molecules not engaged in RNA editing form ribonucleoprotein complexes free of mRNA (1261) 349
Siddiqui, S.S., see Fukushige, T. (1261) 401
Sierra, J.M., see Hernández, G. (1261) 427
Smeland, E., see Aas-Eng, D.A. (1261) 166
Smit, J.J.M., Mol, C.A.A.M., Van Deemter, L., Wagenaar, E., Schinkel, A.H. and Borst, P.
Characterization of the promoter region of the human *MDR*3 P-glycoprotein gene (1261) 44
Smith, B.D., see Fine, A. (1261) 19
Smith, F.I., see Doll, R.F. (1261) 57
Sorg, C., see Nacken, W. (1261) 293
Sorg, C., see Nacken, W. (1261) 432
Sorimachi, H., Tsukahara, T., Okada-Ban, M., Sugita, H., Ishiura, S. and Suzuki, K.
Identification of a third ubiquitous calpain species – chicken muscle expresses four distinct calpains (1261) 381
Spremulli, L.L., see Ma, J. (1261) 321
Stromstedt, M. and Waterman, M.R.
A full-length cDNA encoding mouse adrenodoxin (1261) 126
Stuart, K., see Shu, H.H. (1261) 349
Sugita, H., see Sorimachi, H. (1261) 381
Sugiura, Y., see Uesugi, M. (1261) 99
Suter, B., see Larochelle, S. (1261) 147
Suzuki, K., see Sorimachi, H. (1261) 381
Svendsen, I., see Schmidt, M. (1261) 257

Tada, H., see Seno, M. (1261) 424
Takahashi, Y., see Iwahana, H. (1261) 369
Takanaga, H., see Mukai, H. (1261) 296
Tassi, V., see Saiardi, A. (1261) 307
Thomas, T., Macpherson, A. and Rogers, P.
Ceruloplasmin gene expression in the rat uterus (1261) 77
Thompson, M., see Duncan, M.K. (1261) 68
Tkatch, T., see Tulchinsky, E. (1261) 243
Tőkés, S. and Aradi, J.
Inhibition of moloney murine leukemia virus reverse transcriptase by partially 5-thiolated polyuridylic acid (1261) 115
Toniato, E., see Martinotti, S. (1261) 107
Tremblay, G.B. and MacKenzie, R.E.
Primary structure of a folate-dependent trifunctional enzyme from *Spodoptera frugiperda* (1261) 129
Tsujisawa, T., see Iwahana, H. (1261) 369
Tsukahara, T., see Sorimachi, H. (1261) 381
Tsushima, Y., see Seno, M. (1261) 424
Tulchinsky, E., Grigorian, M., Tkatch, T., Georgiev, G. and Lukanidin, E.

Transcriptional regulation of the *mts1* gene in human lymphoma cells: the role of DNA-methylation (1261) 243

Uesugi, M., Kusakabe, T. and Sugiura, Y.
Hydrophobic DNA binding of esperamicin requires conformational distortion of the host DNA (1261) 99
Uraga, Y., see Fujita, Y. (1261) 151

Van Deemter, L., see Smit, J.J.M. (1261) 44
Van den Heuvel, J., Lang, V., Richter, G., Price, N., Peacock, L., Proud, C. and McCarthy, J.E.G.
The highly acidic C-terminal region of the yeast initiation factor subunit 2α (eIF-2α) contains casein kinase phosphorylation sites and is essential for maintaining normal regulation of *GCN4* (1261) 337
Van Neck, J.W., Medina, J.J., Onnekink, C., Schwartz, S.M. and Bloemers, H.P.J.
Expression of basic fibroblast growth factor and fibroblast growth factor receptor genes in cultured rat aortic smooth muscle cells (1261) 210
Vasseur, S., Frigerio, J.-M., Dusetti, N.J., Keim, V., Dagorn, J.-C. and Iovanna, J.L.
Two transcripts are generated from the Pancreatitis Associated Protein II gene by alternative splicing in the 5′ untranslated region (1261) 272
Vellanoweth, R.L., see Rikke, B.A. (1261) 143

Wagenaar, E., see Smit, J.J.M. (1261) 44
Wahle, E.
3′-End cleavage and polyadenylation of mRNA precursors (1261) 183
Wallis, M., see Wallis, O.C. (1261) 360
Wallis, O.C., Sami, A.J. and Wallis, M.
The effect of changes in nucleotide sequence coding for the N-terminus on expression levels of ovine growth hormone variants in *Escherichia coli* (1261) 360
Wang, J.B., see Kamatchi, G.L. (1261) 134
Wang, M., Ratnam, S. and Freisheim, J.H.
Cloning, nucleotide sequence and expression of the bifunctional dihydrofolate reductase-thymidylate synthase from *Glycine max* (1261) 325
Wardle, C.J.C. and Harris, A.
Down-regulation of CFTR expression in an HT29-derived cell line by stable antisense RNA production (1261) 417
Waterman, M.R., see Stromstedt, M. (1261) 126
Weiner, K.X.B., see Cieśla, J. (1261) 233
Weiner, R.S., see Cieśla, J. (1261) 233
Wickham, G., see Murray, V. (1261) 195
Winter, P.C., see Bill, R.M. (1261) 35
Wistow, G.J., see Li, X. (1261) 25

Xu, W.-H., Sato, Y., Ikeda, M. and Yamashita, O.
Molecular characterization of the gene encoding the precursor protein of diapause hormone and pheromone biosynthesis activating neuropeptide (DH-PBAN) of the silkworm, *Bombyx mori* and its distribution in some insects (1261) 83

Yamada, H., see Seno, M. (1261) 424
Yamaoka, T., see Iwahana, H. (1261) 369
Yamashita, O., see Xu, W.-H. (1261) 83
Yasuda, H., see Fukushige, T. (1261) 401
Yoshimoto, K., see Iwahana, H. (1261) 369
Yu, Q., see Fine, A. (1261) 19

Zhou, Y.-H. and Ragan, M.A.
Characterization of the polyubiquitin gene in the marine red alga *Gracilaria verrucosa* (1261) 215